

LAVORO®
ENGINEERING LIFE

the lab era

SAFETY FOOTWEAR
2026

Actually, it all started in

1872

The origins of the Leite family's footwear activity date back to the 19th century.

1986

ICC, the company that owns Lavoro, is established by Teófilo Leite.



Also launches the first ladies heeled safety shoe.

2006


Lavoro launches the world's first insoles on the ballistics generation, incorporating kevlar.

Also launches the first ladies heeled safety shoe.



2011

Lavoro creates SPodos, a foot science center focused on engineering, podiatry and biomechanics





1987

First export, heading to the Dutch market.

1988

Official presentation of Lavoro brand at the Expoprotection Fair - Paris, France.



2000

Launch of the first Lavoro women's collection, the Y2K range.



2019



Lavoro acquires new facilities to accommodate the warehouse and a new production unit.





1989

Lavoro participates for the first time in A+A Fair.



1992

Constitution of Lavoro Deutschland

1995

Lavoro patents "Clima Cork System", the first insole built in cork



40 YEARS

2022

Lavoro begins journey to conquer the future: reconstruction of the historic industrial plant.



2023

A special focus on green production: robotization, green energy, supernova foam and innovative recycled material injection technology.



Lavoro is the firsts Safety Footwear brand to launch a whole collection made with Super Critical Foam (SCF).

2025

The Lab Era: Where exploration becomes application, and innovation turns into proof. Our 19th consecutive participation at A+A marks a new chapter of technology, engineering, and in motion.



06

STRATICC

18

COSMICC

23

SPACE TRIP

26

SPACE ODDITY

29

COUNTRYSIDE

36

T.T.

46

HIGHWAY

50

ENERGY

53

CUP

55

HEAVY DUTY

57

TECH

63

FF/RF

68

WOMAN

73

ACCESSORIES

74

SPODOS

78

TECHNOLOGIES





*Born in the lab,
shaped for the field -
Straticc brings science into every step.*

STRATICC



001.

HOW DO WE WALK ?






Understanding how the human foot moves is the starting point for designing better safety footwear. Walking is a complex sequence of contact, load, balance, and propulsion - and every phase places different demands on the foot and the shoe.

Through biomechanical studies, we analyzed pressure points, foot strike, flexibility zones, and the natural rolling motion of the step. These drawings are not abstract concepts; they are direct translations of movement.

This research guided the development of our new STRATICC sole: perforated in the heel to improve comfort and impact absorption, and cleated in the forefoot to enhance grip, flexibility, and natural movement. Every groove, cavity, and profile responds to how workers actually walk, stand, and move throughout the day.

From biomechanics to sketches to sole, understanding motion allows us to create safety footwear that supports the body, reduces fatigue, and performs where it matters most - on the ground.

Know more:
spodos.pt




/ PERFORATED SOLE /

GREATER CUSHION
RESPONSIVE SHOCK ABSORPTION
IMPROVED WEIGHT DISTRIBUTION



/ CLEATED SOLE /

GREATER FLEXIBILITY
GREATER WEIGHT DISTRIBUTION
IMPROVED FLUID MOTION



TECHNOLOGIES

NEW TECH




MULTI-SECTION INJECTION



Direct injection process with different softnesses. One fully bonded unit with tailored properties by area.

UP TO 3 DIFFERENT
SOFTNESSES ONLY
IN THE MIDSOLE



CLIMA CORK SYSTEM

Clima Cork System creates the perfect environment inside your shoes. The cork layer between the sole and the insole keeps your feet cool in summer and warm in winter. The cork allows the creation of a kind of "footprint", favours its adaptation to the shoe and contributes to the reduction of fatigue, by benefiting the uniform distribution of the weight.




WHAT ARE THE BENEFITS?

FOR THE USER

- Thermal Control
- Reduction of Fatigue
- Impact Absorption
- Comfort
- Weight Distribution

FOR THE PLANET

- Renewable Resource
- Biodegradable
- Recyclable
- Ecosystem Support
- Carbon Capture



ARIES

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR

EU 35-48 / UK 2 1/5-13 / MP 217-315



\ 1202.01 \

PROTECTIVE MIDSOLE

KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS
(PT) Fibrã de Vidro (ES) Fibrã de Vidrio (FR) Fibre de Verre
(DE) Glassfaser

SOLE

DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL

NUBUCK LEATHER WR + LASER H6M
(PT) Couro Nobuck WR + Laser H6M (ES) Cuero Nobuck WR + Laser H6M (FR) Cuir Nubuck WR + Laser H6M
(DE) Nubukleder WR + Laser H6M

LINING MATERIAL

AERPLUS TECHTEX
(PT) Aerplus TechTex (ES) Aerplus TechTex (FR) Aerplus TechTex (DE) Aerplus TechTex



\ 1002.01 \

ANDROMEDA

EN ISO 20345:2022/A1 2024 CE S3S HI CI FO SR



**QUICK
RELEASE
SYSTEM**



\ 1202.11 \

AURIGA

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



DRACO

EN ISO 20345:2022/A1:2024 CE S1 PS HI CI FO SR

EU 35-48 / UK 2 1/5-13 / MP 217-315



**QUICK
RELEASE
SYSTEM**



\ 1202.31 \

PROTECTIVE MIDSOLE

KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre
(DE) Glasfaser

SOLE

DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU
con MSI (FR) Double Densité PU avec MSI (DE) Zweikompo-
nenten PU mit MSI

UPPER RAW MATERIAL

NUBUCK LEATHER WR 20/22 + BREEZEMESH 3D
(PT) Couro Nobuck com Têxtil Respirável 3D (ES) Cuero Nobuck
con Textil Respirable 3D (FR) Cuir Nubuck avec Textile
Respirant 3D (DE) Nubukleder mit Atmungsaktivem Textil 3D

LINING MATERIAL

AERPLUS TECHTEX
(PT) Aerplus TechTex (ES) Aerplus TechTex (FR) Aerplus
TechTex (DE) Aerplus TechTex

PROTECTIVE MIDSOLE

KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre
(DE) Glasfaser

SOLE

DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU
con MSI (FR) Double Densité PU avec MSI (DE) Zweikompo-
nenten PU mit MSI

UPPER RAW MATERIAL

NUBUCK LEATHER WR + LASER H6M
(PT) Couro Nobuck WR + Laser H6M (ES) Cuero Nobuck
WR + Laser H6M (FR) Cuir Nubuck WR + Laser H6M
(DE) Nubukleder WR + Laser H6M

LINING MATERIAL

AERPLUS TECHTEX + SYMPATEX MEMBRANE
(PT) Aerplus TechTex + Membrana Sympatex (ES) Aerplus
TechTex + Membrana Sympatex (FR) Aerplus TechTex +
Membrane Sympatex (DE) Aerplus TechTex + Sympatex-
Membran



\ 1202.21 \

HYDRA

EN ISO 20345:2022/A1:2024 CE S7S HI CI FO SR



\ 1002.11 \

HERCULES

EN ISO 20345:2022/A1:2024 CE S7S HI CI FO SR



TAURUS

EN ISO 20345:2022/A1:2024 CE S7S HI CI FO SR



**QUICK
RELEASE
SYSTEM**



\ 1228.20 \

EU 35-48 / UK 2^{1/5}-13 / MP 217-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE

DOUBLE DENSITY PU W/ MSI

(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL

NUBAPRO RP WPA 2.0 (PU/PA)

(PT) NubaPro RP WPA 2.0 (PU/PA) (ES) NubaPro RP WPA 2.0 (PU/PA) (FR) NubaPro RP WPA 2.0 (PU/PA) (DE) NubaPro RP WPA 2.0 (PU/PA)

LINING MATERIAL

AERPLUS TECHTEX + SYMPATEX MEMBRANE

(PT) Aerplus TechTex + Membrana Sympatex (ES) Aerplus TechTex + Membrana Sympatex (FR) Aerplus TechTex + Membrane Sympatex (DE) Aerplus TechTex + Sympatex-Membran



**QUICK
RELEASE
SYSTEM**



\ 1028.20 \

SAGITTARIUS

EN ISO 20345:2022/A1:2024 CE S7S HI CI FO SR



SLIP IN



\ 1241.00 \

CORVUS

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



**SLIP IN.
EASY.
FAST.**



CRATER

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



\ 1231.06 \

EU 35-48 / UK 2 1/5-13 / MP 217-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE

DOUBLE DENSITY PU W/ MSI

(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL


SCBD HAR TEXTILE

(PT) Têxtil SCBD HAR (ES) Textil SCBD HAR (FR) Textile SCBD HAIR (DE) SCBD HAIR Textile

LINING MATERIAL

AERPLUS TECHTEX + SYMPATEX MEMBRANE

(PT) Aerplus TechTex + Membrana Sympatex (ES) Aerplus TechTex + Membrana Sympatex (FR) Aerplus TechTex + Membrane Sympatex (DE) Aerplus TechTex + Sympatex-Membran



\ 1031.06 \

CAPRICORNUS

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



ULTRA RESISTANT MATERIAL

+ 8.000 cycles in
abrasion testing



PISCES

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR

EU 35-48 / UK 2^{1/5}-13 / MP 217-315



\ 1232.08 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE

DOUBLE DENSITY PU W/ MSI

(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL


GUAPA UR TEXTILE

(PT) Têxtil GUAPA UR (ES) Textil GUAPA UR (FR) Textile GUAPA UR (DE) GUAPA-UR-Textil

LINING MATERIAL

DRYLEX PLUS 3SW

(PT) Drylex Plus 3SW (ES) Drylex Plus 3SW (FR) Drylex Plus 3SW (DE) Drylex Plus 3SW




GUAPA

Developed with advanced protective technology, this upper material brings a new level of performance to safety footwear. Its innovative reinforced structure offers outstanding abrasion resistance, while remaining impressively lightweight and breathable. This ensures long-lasting protection without adding unnecessary weight, keeping the wearer comfortable throughout demanding workdays.

Engineered to withstand intense friction and heavy use, **it surpasses 8.000 cycles in abrasion testing** - delivering durability that professionals can rely on in tough environments.



FULL LEATHER



Choosing full leather footwear - with both the upper and lining made of leather - means choosing long-lasting comfort. Leather naturally adapts to the shape of your foot, offers excellent breathability, and provides a softer, more supportive feel throughout the day. It's a durable, premium material that keeps your feet comfortable and protected in demanding environments.



LEO

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



\ 1236.02 \

EU 35-48 / UK 2^{1/5}-13 / MP 217-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glasfaser

SOLE

DOUBLE DENSITY PU W/ MSI

(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL

VHQ WAXED NUBUCK LEATHER

(PT) Pele Nubuck Encerada VHQ (ES) VHQ gewachstes Nubukleder (FR) Cuir nubuck ciré VHQ (DE) Piel nubuck encerada VHQ

LINING MATERIAL

ANILINE LEATHER

(PT) Pele Anilina (ES) Piel Anilina (FR) Cuir Aniline (DE) Anilinleder



\ 1236.06 \



LIBRA

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



COSMICC



COSMICC ShieldCore™

COSMICC ShieldCore™ is built around an advanced exoskeleton-core architecture, designed to deliver maximum durability without compromising comfort or weight. This innovative sole construction combines four functional layers, each engineered with a specific purpose.



CLIMA CORK SYSTEM (CCS)

Natural cork layer that insulates the foot from cold and heat, while moulding to its shape for better comfort, support and pressure distribution.



SUPER CRITICAL FOAM (SCF)

Lightweight foam for cushioning, energy return and reduced fatigue.



DIRECT INJECTED PU

Injected structure that stabilizes the layers and ensures strong sole-to-upper bonding.



RUBBER EXOSKELETON

Resistant rubber shell for traction, abrasion protection and durability in extreme conditions.



Section
view




ECLIPSE BLACK

EN ISO 20345:2022/A1 2024 CE S7S HI CI SR HRO FO LG



EU 39-48 / UK 6-13 / MP 247-315



**QUICK
RELEASE
SYSTEM**



\ 1068.40 \

PROTECTIVE MIDSOLE

KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS
(PT) Fibr de Vidro (ES) Fibr de Vidrio (FR) Fibre de Verre
(DE) Glassfaser

SOLE

ShieldCore™ (RUBBER + SCF + CCS + PU)
(PT) Borracha + SCF + CCS + PU (ES) Caucho + SCF+CCS
+ PU (FR) Caoutchouc + SCF + CCS + PU (DE) Gummi +
SCF + CCS + PU

UPPER RAW MATERIAL

NUBUCK LEATHER WR 20/22
(PT) Couro Nubuck WR 20/22 (ES) Cuero Nubuck WR 20/22
(FR) Cuir NUBUCK WR 20/22 (DE) Nubukleder WR 20/22

LINING MATERIAL

SOFT ANILINE LEATHER + SYMPATEX MEMBRANE
(PT) Pele Anilina Macia + Membrana Sympatex (ES) Piel Anili-
na Suave + Membrana Sympatex (FR) Cuir Aniline Souple +
Membrane Sympatex (DE) Weiches Anilinleder + Sympatex
Membrane



**QUICK
RELEASE
SYSTEM**



\ 1068.42 \

ECLIPSE BROWN

EN ISO 20345:2022/A1 2024
CE S7S HI CI FO SR HRO LG

LINING MATERIAL

SOFT ANILINE LEATHER
(PT) Pele Anilina Macia (ES) Piel Anilina Suave (FR) Cuir
Aniline Souple (DE) Weiches Anilinleder



\ 1068.20 \



\ 1010.20 \

COSMICC IMM

EN ISO 20345:2011/A1 2024
CE S7S HI CI FO SR HRO LG

COSMICC LAVA

EN ISO 20345:2022/A1 2024
CE S3S HI CI FO SR HRO



4EST



ARGYLL

EN ISO 17249:2013/AC:2014 CLASS 1 CE S3 SRC HRO HI CI

EU 39-48 / UK 6-13 / MP 247-315



\ 1069.01 \

PROTECTIVE MIDSOLE

KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

SHIELD CORE™ (RUBBER + SCF + CCS + PU)
(PT) Borracha + SCF + CCS + PU (ES) Caucho + SCF+CCS + PU (FR) Caoutchouc + SCF + CCS + PU (DE) Gummi + SCF + CCS + PU

UPPER RAW MATERIAL

NUBUCK LEATHER WR 20/22
(PT) Couro Nubuck WR 20/22 (ES) Cuero Nubuck WR 20/22 (FR) Cuir Nubuck WR 20/22 (DE) Nubukleder WR 20/22

LINING MATERIAL

AERPLUS TECHTEX. TECHNICAL TEXTILE 100% PES
(PT) Têxtil técnico Aerpluss (ES) Textil técnico Aerpluss (FR) Textile technique Aerpluss (DE) Technisches Textil Aerpluss



\ 1069.07 \

GALLOWAY

EN ISO 17249:2013/AC:2014 CLASS 2
CE S7 SRC HRO HI CI FO

LINING MATERIAL

SYMPATEX MEMBRANE

(PT) Membrana Sympatex (ES) Membrana Sympatex (FR) Membrane Sympatex (DE) Sympatex-Membran

UPPER RAW MATERIAL

CRAZY HORSE VHQ LEATHER 20/22
(PT) Crazy Horse VHQ Leather 20/22 (ES) Crazy Horse VHQ Leather 20/22 (FR) Crazy Horse VHQ Leather 20/22 (DE) Crazy Horse VHQ Leather 20/22



\ 1069.08 \

KIELDER

EN ISO 17249:2013/AC:2014 CLASS 3
CE S7 SRC HRO HI CI FO

LINING MATERIAL

SYMPATEX MEMBRANE

(PT) Membrana Sympatex (ES) Membrana Sympatex (FR) Membrane Sympatex (DE) Sympatex-Membran

LINING MATERIAL

AERPLUS TECHTEX. TECHNICAL TEXTILE 100% PES
(PT) Têxtil técnico Aerpluss (ES) Textil técnico Aerpluss (FR) Textile technique Aerpluss (DE) Technisches Textil Aerpluss



\ 1070.07 \

ELITREE COSMICC

EN ISO 17249:2013/AC:2014 CLASS 2
CE S7S SRC HRO HI CI FO

LINING MATERIAL

SYMPATEX MEMBRANE

(PT) Membrana Sympatex (ES) Membrana Sympatex (FR) Membrane Sympatex (DE) Sympatex-Membran

LINING MATERIAL

DEAN SPLIT LEATHER
(PT) Dean Split Leather (ES) Dean Split Leather (FR) Dean Split Leather (DE) Dean Split Leather



SPACE TRIP



super critical foaming

SUPERNOVA SCF IS A REVOLUTIONARY FOAM, 100% RECYCLABLE, WITH UNIFORM MICROCELLULAR STRUCTURE THAT HAS A SUPERIOR MECHANICAL PERFORMANCE, LIGHTNESS, AND ENERGY RETURN, IT DOESN'T CONTRAT OR DEFORM.

lightweight . sustainable . high-performance .



RAVEN SPEED

EN ISO 20345:2022 CE S3S CI HI HRO SR

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE

DYNEEMA

(PT) Dyneema (ES) Dyneema (FR) Dyneema (DE) Dyneema

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibrã de Vidro (ES) Fibrã de Vidro (FR) Fibre de Verre
(DE) Glassfaser

SOLE

SUPERNOVA SCF + RUBBER

(PT) Supernova SCF + Borracha (ES) Supernova SCF +
Caucho (FR) Supernova + Nitril (DE) Supernova + Gummi

UPPER RAW MATERIAL


RECYCLED TEXTILE (16%)

(PT) Têxtil Reciclado (ES) Textil Reciclado (FR) Textile Recy-
clé (DE) Recyceltes Textiel

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respi-
rant (DE) Atmungsaktiv Textiel



**QUICK
RELEASE
SYSTEM**



\ 1209.36 \



\ 1209.46 \



RAVEN


EN ISO 20345:2022 CE S3S HI CI HRO SR



FALCON SPEED GREY

EN ISO 20345:2022 CE S3S CI HI HRO SR

EU 39-48 / UK 6-13 / MP 247-315



**QUICK
RELEASE
SYSTEM**



\ 1209.16 \

PROTECTIVE MIDSOLE

DYNEEMA

(PT) Dyneema (ES) Dyneema (FR) Dyneema (DE) Dyneema

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre
(DE) Glasfaser

SOLE

SUPER CRITICAL FOAM + RUBBER

(PT) Supernova SCF + Borracha (ES) Supernova SCF +
Caucho (FR) Supernova + Nitril (DE) Supernova + Gummi

UPPER RAW MATERIAL

RECYCLED TEXTILE (16%)

(PT) Têxtil Reciclado (ES) Textil Reciclado (FR) Textile Recy-
clé (DE) Recyceltes Textiel

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respi-
rant (DE) Atmungsaktiv Textil



\ 1209.06 \

FALCON GREY

EN ISO 20345:2022 CE S3S CI HI HRO SR



FLEXIBLE



ESD
(Electrostatic Discharge Protection)



LIGHTWEIGHT



SUPER CRITICAL
FOAMING



METAL FREE

SPACE ODDIT

26



STARGATE BLACK

EN ISO 20345:2022/A1 2024 CE S2 PL SR

EU 35-47 / UK 2^{1/2}-12 / MP 217-317



\ 1201.00 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE) Kunststoffkappe

SOLE

TPU + EVA PHYLON

(PT) TPU + Eva Phylon (ES) TPU + Eva Phylon (FR) TPU + Eva Phylon (DE) TPU + Eva Phylon

UPPER RAW MATERIAL

NUBAPRO RP WPA 2.0

(PT) NubaPro RP WPA 2.0 (ES) NubaPro RP WPA 2.0 (FR) NubaPro RP WPA 2.0 (DE) NubaPro RP WPA 2.0

LINING MATERIAL

PACIFIC F6 TEXTILE

(PT) Pacific F6 Textile (ES) Pacific F6 Textile (FR) Pacific F6 Textile (DE) Pacific F6 Textile



EXTRA CUSHIONING



FLEXIBLE



LIGHTWEIGHT



ENERGY RETURN
TECHNOLOGY



METAL FREE

STARDUST BLUE

EN ISO 20345:2011 **CE S1 PS SR HI CI**

EU 33-47 / UK 1-12 / MP 202-307



**QUICK
RELEASE
SYSTEM**



\ 1200.10 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

TPU + EVA PHYLON

(PT) TPU + Eva Phylon (ES) TPU + Eva Phylon (FR) TPU +

Eva Phylon (DE) TPU + Eva Phylon

UPPER RAW MATERIAL

AEROSUEDE PRO 1.8

(PT) AeroSuede Pro 1.8 (ES) AeroSuede Pro 1.8

(FR) AeroSuede Pro 1.8 (DE) AeroSuede Pro 1.8

LINING MATERIAL

DRYLEX TEXTILE

(PT) Têxtil Drylex (ES) Textil Drylex (FR) Textile Drylex (DE)

Drylex Textil

EU 36-47 / UK 3-12 / MP 225-307



**QUICK
RELEASE
SYSTEM**



\ 1400.10 \

STARSIGHT BLUE

EN ISO 20345:2011 **CE S1 PS SR HI CI**

EU 35-47 / UK 2 1/2-12 / MP 227-307



\ 1200.00 \

STARLIGHT BLUE

EN ISO 20345: 2011 **CE S1 PS SR HI CI**



SANDAL // EXTRA BREATHABLE



FLEXIBLE



LIGHTWEIGHT



ENERGY RETURN
TECHNOLOGY



VEGAN
FRIENDLY



METAL FREE

COUNTRYSIDE!



GLADE BLUE

EN ISO 20345:2011 **CE S3 CI HI SRC**

EU 36-48 / UK 3-13 / MP 225-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre

(DE) Glassfaser

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR)

Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

AEROSUEDE PRO 1.8

(PT) AeroSuede Pro 1.8 (ES) AeroSuede Pro 1.8

(FR) AeroSuede Pro 1.8 (DE) AeroSuede Pro 1.8

LINING MATERIAL

AERPLUS TECHTEX

(PT) Aerpluss TechTex (ES) Aerpluss TechTex (FR) Aerpluss

TechTex (DE) Aerpluss TechTex



\ 1227.01 \



\ 1027.01 \

MEADOW BLUE

EN ISO 20345:2011 **CE S3 CI HI SRC**



**QUICK
RELEASE
SYSTEM**



\ 1227.16 \

GLADE SPEED GREY

EN ISO 20345:2011 **CE S3 CI HI SRC**



**QUICK
RELEASE
SYSTEM**



\ 1027.16 \

MEADOW SPEED GREY

EN ISO 20345:2011 **CE S3 CI HI SRC**



FLEXIBLE



LIGHTWEIGHT



ANTISTATIC



VEGAN
FRIENDLY



METAL FREE

CANYON BLACK

EN ISO 20345:2011 **CE S3 CI HI SRC**



\ 1025.00 \

EU 36-48 / UK 3-13 / MP 225-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre
(DE) Glassfaser

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR)
Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

NUBUCK LEATHER

(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE)
Zchwarz Nubuckleer


LINING MATERIAL

DRYLEX PLUS 3SW

(PT) Têxtil Drylex Plus 3SW (ES) Textil Drylex Plus 3SW (FR)
Textile Drylex Plus 3SW (DE) Drylex Plus 3SW Textil



\ 1225.00 \



JASPER

EN ISO 20345:2011 **CE S3 CI HI SRC**



SNOWMASS

EN ISO 20345:2011 **CE S3 WR CI HI SRC**

EU 36-48 / UK 3-13 / MP 225-315



Available with metatarsal protection.
Ref. 1025.20



\ 1025.10 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibrã de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre
(DE) Glassfaser

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR)
Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

NUBUCK LEATHER WR 20/22

(PT) Pele Nubuck WR 20/22 (ES) Cuero Nubuck WR 20/22
(FR) Cuir Nubuck WR 20/22 (DE) Nubuckleer WR 20/22

LINING MATERIAL

AQUATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Aquatex (ES) Membrana
Impermeable Aquatex (FR) Membrane Impermeable Aquatex
(DE) Aquatex Waserdichte Membrane

EU 39-48 / UK 6-13 / MP 257-315



\ 1025.25 \

YELLOWSTONE M

EN ISO 20345:2011 **CE S3 WR CI HI M SRC**



METATARSAL PROTECTION



CLIMA CORK
SYSTEM



FLEXIBLE



LIGHTWEIGHT



ANTISTATIC



Aquatex
WATERPROOF



METAL
FREE

METAL FREE

YOSEMITE

EN ISO 20345:2011 **CE S3 CI HI SRC**

EU 39-48 / UK 6-13 / MP 247-315



\ 1026.42 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

WR FLOATER COGNAC

(PT) WR Floater Cognac (ES) Coñaac Floater WR (FR) Cuir Plein Fleur WR Cognac (DE) WR Floater Cognac

LINING MATERIAL

DRYLEX PLUS 3SW

(PT) Drylex Plus 3SW (ES) Drylex Plus 3SW (FR) Drylex Plus 3SW (DE) Drylex Plus 3SW



\ 1674.62 \



APALACHE


EN ISO 20345: 2011 **CE S3 WR CI HI SRC**

EU 36-48 / UK 3-13 / MP 235-315



FIORDLAND

EN ISO 20345:2022 CE S3L CI HI FO SR



**QUICK
RELEASE
SYSTEM**



\ 1025.35 \



CLIMA CORK
SYSTEM



NATURAL
LAMBSKIN



RESISTANT
UP TO -30°C

EU 36-48 / UK 3-13 / MP 225-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre
(DE) Glassfaser

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR)
Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

NUBUCK LEATHER WR 20/22

(PT) Pele Nubuck WR 20/22 (ES) Cuero Nubuck WR 20/22
(FR) Cuir Nubuck WR 20/22 (DE) Schwartz Nubuckleer WR
20/22

LINING MATERIAL

NATURAL LAMBSKIN

(PT) Pele Natural de Carneiro (ES) Piel de Cordero Natural
(FR) Peau de Mouton Naturelle (DE) Natürliches Lamm Futter



**AGRI
CULTURA**



\ 1025.12 \

EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

-

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR)
Double Densité PU (DE) Zweikomponenten PU



ANTISTATIC



Aquatex
WATERPROOF

UPPER RAW MATERIAL

NUBUCK LEATHER WR 20/22

(PT) Pele Nubuck WR 20/22 (ES) Cuero Nubuck WR 20/22
(FR) Cuir Nubuck WR 20/22 (DE) Schwartz Nubuckleer WR
20/22

LINING MATERIAL

AQUATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Aquatex (ES) Membrana
Impermeable Aquatex (FR) Membrane Impermeable Aquatex
(DE) Aquatex Waserdichte Membrane

PRADO

EN ISO 20347:2011 CE 03 HI CI SRC



CLIMA CORK
SYSTEM



LIGHTWEIGHT



METAL
FREE

CASCADES BROWN 23

EN ISO 20345:2022 **CE S7L CI HI HRO SC SR**



\ 1024.32 \

EU 39-47 / UK 6-12 / MP 247-307

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE

DIRECT INJECTED PU + VIBRAM

(PT) PU Diretamente Injetado + Vibram (ES) PU Inyectado + Vibram (FR) PU Injecté Directement + Vibram (DE) Direkt Eingespritztes PU + Vibram

UPPER RAW MATERIAL

CRAZY HORSE VHQ LEATHER 20/22

(PT) Crazy Horse VHQ Leather 20/22 (ES) Crazy Horse VHQ Leather 20/22 (FR) Crazy Horse VHQ Leather 20/22 (DE) Crazy Horse VHQ Leather 20/22

LINING MATERIAL

SYMPATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Sympatex (ES) Membrana Imperable Sympatex (FR) Membrane Impermeable Sympatex (DE) Sympatex Wasserdichte




\ 1024.36 \

CASCADES GREY 23

EN ISO 20345:2011 **CE S7L HI CI HRO SC SR**





JABBA

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR

EU 35-48 / UK 2 1/2-13 / MP 217-315



\ 1203.06 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR)

Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

K3D TEXTILE

(PT) Têxtil K3D (ES) Textil K3D (FR) Textile K3D

(DE) K3D Textil

LINING MATERIAL

DRYLEX PLUS 3SW

(PT) Drylex Plus 3SW (ES) Drylex Plus 3SW (FR) Drylex Plus

3SW (DE) Drylex Plus 3SW



\ 1203.11 \



BETTER FITTING

CHEWIE 22

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



YODA TAUPE FL

EN ISO 20345:2022 CE S3L CI HI HRO SR FO



EU 35-48 / UK 2^{1/2}-13 / MP 217-315



\ 1204.12 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado

+ Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt

Eingespritztes PU + Gummi

UPPER RAW MATERIAL

NATURAL SMOOTH LEATHER

(PT) Pele Natural Macia (ES) Piel Natural Macia (FR) Cuir

Souple Naturel (DE) Natürliches Weiches Leder

LINING MATERIAL

LEATHER

(PT) Pele (ES) Piel (FR) Cuir (DE) Leder



\ 1004.12 \

LANDO TAUPE FL

EN ISO 20345:2022 CE S3L CI HI HRO SR FO



YODA BROWN

EN ISO 20345:2022 **CE S3L CI HI HRO SR FO**



\ 1204.02 \

EU 35-48 / UK 2^{1/2}-13 / MP 217-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE) Kunststoffkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL

NUBUCK LEATHER

(PT) Pele Nubuck WR (ES) Cuero Nubuck (FR) Cuir Nobuck WR (DE) Nubuck Leder WR

LINING MATERIAL

DRYLEX PLUS 3SW

(PT) Drylex Plus 3SW (ES) Drylex Plus 3SW (FR) Drylex Plus 3SW (DE) Drylex Plus 3SW



\ 1004.02 \

LANDO BROWN

EN ISO 20345:2011 **CE S3L HI CI HRO SR FO**



\ 1204.00 \

VADER BLACK

EN ISO 20345:2011 **CE S3L HI CI HRO SR FO**



\ 1004.00 \

KENOBI BLACK

EN ISO 20345:2011 **CE S3L HI CI HRO SR FO**





SUSTAINABLE PRODUCT

Incorporating 97% upper recycled material and 15% reusable cork.

Ongoing commitment to sustainability and environmental preservation.

By reusing materials, we are not only reducing waste but also promoting a circular economy, where materials are continuously repurposed and recycled.

We are contributing to a greener and sustainable future.



15% CORK IN SOLE

97% RECYCLED TEXTILE



LYNX EARTH

EN ISO 20345:2022 CE S3L CI HI FO SR



\ 1257.06 \

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DOUBLE DENSITY PU W/ 15% CORK

(PT) Dupla Densidade PU + Cortiça (ES) Doble Densidade PU + Corcho (FR) Doble Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

RECYCLED TEXTILE (97%)

(PT) Têxtil Reciclado (ES) Textil Reciclado (FR) Textile Recyclé (DE) Recyceltes Textil

LINING MATERIAL

RECYCLED TEXTILE

(PT) Têxtil Reciclado (ES) Textil Reciclado (FR) Textile Recyclé (DE) Recyceltes Textil

SOLE

DOUBLE DENSITY PU

(PT) PU Diretamente Injetado (ES) PU Inyectado (FR) PU Injecté Directement (DE) Direkt Eingespritztes PU

UPPER RAW MATERIAL

VHR TEXTILE

(PT) Têxtil VHR (ES) Textil (FR) Textile VHR (DE) VHR Textil

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv



\ 1257.10 \

LYNX ICE

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



FLEXIBLE



ESD
(ELECTRO-STATIC DISCHARGE)



LIGHTWEIGHT



METAL FREE

LYNX BLACK

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**

EU 35-48 / UK 2½-13 / MP 217-315



\ 1257.50 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR)

Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

NUBAPRO RP WPA 2.0

(PT) NubaPro RP WPA 2.0 (ES) NubaPro RP WPA 2.0 (FR)

NubaPro RP WPA 2.0 (DE) NubaPro RP WPA 2.0

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile

Respirant (DE) Atmungsaktiv



\ 1057.50 \

DRAGON BLACK

EN ISO 20345:2011 **CE S3 SRC**



\ 1257.51 \

LYNX BLUE

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**



\ 1257.61 \

ARA

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**



EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**



*FOOD
INDUSTRY*

VAGOS

EN ISO 20345:2022 **CE S2 SR**

EU 34-48 / UK 2-13 / MP 217-315



\ 1111.23 \

PROTECTIVE MIDSOLE

-

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU

(FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

VEGAN MICROFIBER

(PT) Microfibras Vegan (ES) Microfibras Vegan (FR) Microfibre

Vegan (DE) Mikrofaser Vegan

LINING MATERIAL

DRYLEX PLUS 3SW

(PT) Drylex Plus 3SW (ES) Drylex Plus 3SW (FR) Drylex Plus

3SW (DE) Drylex Plus 3SW



\ 1111.30 \

TOCHA 22

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**



VADER XXL

EN ISO 20345:2011 **CE S3 SRA**



\ 1204.30 \

EU 49-53 / UK 14-17 / MP 322-352

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) PU Doble Densidade PU

(FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein

Fleur Grainé (DE) Glattleder

LINING MATERIAL

DRYLEX PLUS 3SW

(PT) Drylex Plus 3SW (ES) Drylex Plus 3SW (FR) Drylex Plus

3SW (DE) Drylex Plus 3SW

KENOBI XXL

EN ISO 20345:2011 **CE S3 SRA**

XXL
49 - 53



\ 1004.30 \



HIGHWAY

E04

EN ISO 20345: 2022/A1:2024 **S3S HI CI HRO FO SR**

EU 35-47 / UK 2^{1/2}-12 / MP 217-317



\ 1255.06 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre

(DE) Glasfaser

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL

NUBUCK LEATHER + TEXTILE

(PT) Pele Nubuck + Têxtil (ES) Cuero Nobuck + Textil (FR)

Cuir Nubuck + Textile (DE) Nubuckleider + Textil

LINING MATERIAL

DRYLEX PLUS 3SW

(PT) Drylex Plus 3SW (ES) Drylex Plus 3SW (FR) Drylex Plus 3SW (DE) Drylex Plus 3SW



\ 1055.06 \

E14

EN ISO 20345:2022/A1:2024 **S3S HI CI HRO FO SR**



\ 1255.00 \

E05

EN ISO 20345:2022/A1:2024 **S3S HI CI HRO FO SR**



\ 1055.00 \

E15

EN ISO 20345:2022/A1:2024 **S3S HI CI HRO FO SR**



E02

EN ISO 20345: 2022/A1:2024 **S3S HI CI HRO FO SR**

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado

+ Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt

Eingespritztes PU + Gummi

UPPER RAW MATERIAL

NUBUCK LEATHER

(PT) Pele Nubuck (ES) Cuero Nubuck (FR) Cuir Nubuck (DE)

Nubuckleider

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respi-

rant (DE) Atmungsaktiv Textil



\ 1256.00 \

E10 BLACK

EN ISO 20345: 2022/A1:2024 **S3S HI CI HRO FO SR**



\ 1084.30 \



E16 HONEY

EN ISO 20345:2011 **CE S3 HRO SRC**



\ 1084.36 \

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL

NUBUCK LEATHER

(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Nubuckleder

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil



\ 1084.22 \

EU 39-48 / UK 6-13 / MP 257-315



\ 1058.00 \



E17 BROWN

EN ISO 20345: 2022/A1:2024 **S3S HI CI HRO FO SR**

E22

EN ISO 20345:2011 **CE S3 HRO SRC**





HYBRID BLUE

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR

EU 35-48 / UK 2 1/2-13 / MP 217-315



\ 1263.11 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DIRECT INJECTED PU + TPU

(PT) PU Diretamente Injetado + TPU (ES) PU Inyectado + TPU (FR) PU Injecté Directement + TPU (DE) Direkt Eingespritztes PU + TPU

UPPER RAW MATERIAL

LASER HD WR TEXTILE

(PT) Têxtil Laser HD WR (ES) Textil Laser HD WR (FR) Textile

Laser HD WR (DE) WR Floater Cognac


LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil



\ 1263.14 \



HYBRID RED

EN ISO 20345:2022/A1:2024 CE S3S HI CI FO SR



SOLAR

EN ISO 20345:2022/A1:2024 **CE S1 PS HI CI FO SR**

EU 36-48 / UK 3-13 / MP 225-315



\ 1250.01 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DIRECT INJECTED PU + TPU

(PT) PU Diretamente Injetado + TPU (ES) PU Inyectado

Directo + TPU (FR) PU Injecté Directement + TPU (DE)

Direkt Eingespritztes PU + TPU

UPPER RAW MATERIAL

SUEDE LEATHER

(PT) Couro Acamurçado (ES) Cuero de Gamuza (FR) Croute

Velours (DE) Suede Leder

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respi-

rant (DE) Atmungsaktiv Textil



\ 1250.00 \

TIDAL

EN ISO 20345:2011 **CE SI P SRC**



\ 1050.00 \

BIOMASS

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**

UPPER RAW MATERIAL

LEATHER + TEXTILE

(PT) Pele + Têxtil (ES) Piel + Textil (FR) Cuir + Textile (DE)

Leder + Textil



ESD
(ELECTRO STATIC DISPERSIVE)



WATER
REPELLENT UPPER



ANTI-SLIP
SOLE



LIGHTWEIGHT



METAL FREE

CU



JAMOR

EN ISO 20345:2022 **CE S3L HI CI FO SR**

EU 36-47 / UK 3-12 / MP 225-307



\ 1237.00 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR)

Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

MATRIX KEVLAR + ANILINE LEATHER

(PT) Matrix Kevlar + Pele Anilina (ES) Matrix Kevlar + Cuero

Anilina (FR) Matrix Kevlar + Aniline Leder (DE) Matrix Kevlar


+ Aniline Leder

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respi-

rant (DE) Atmungsaktiv Textil



Designed for multidirectional floors, giving a perfect traction with comfort to your feet



\ 1238.02 \



TEAM BROWN

EN ISO 20345:2022 **CE S3L CI HI FO SR**

TECHNICAL CONTRIBUTION OF

SPODOS
FOOT SCIENCE CENTER

UPPER RAW MATERIAL

NUBUCK LEATHER

(PT) Pele Nubuck (ES) Cuero Nubuck (FR) Cuir Nubuck (DE)

Nubuckleider

LINING MATERIAL

ANILINE LEATHER

(PT) Pele Anilina (ES) Cuero Anilina (FR) Aniline Leder

(DE) Aniline Leder



HEAVY DUTY



EXPLORATION LOW

EN ISO 20345:2022/A1:2024 **CE S7 HI CI FO SR**

EU 39-48 / UK 6-13 / MP 247-315



\ 1011.00 \

PROTECTIVE MIDSOLE

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU

(PT) PU Diretamente Injetado (ES) PU Inyectado Directo

(FR) PU Injecté Directement (DE) Direkt Eingepוזtzes PU

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein

Fleur Grainé (DE) Glattleder

LINING MATERIAL

AQUATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Aquatex (ES) Membrana

Impermeable Aquatex (FR) Membrane Impermeable Aquatex

(DE) Aquatex Wasserdichte Membrane

EXPLORATION HIGH

EN ISO 20345:2022/A1:2024 **CE S7 HI CI FO SR**



\ 1611.00 \





TECI

DAINTREE 2.0

EN ISO 17249:2013 / AC:2014 CLASS 1
EN ISO 20345:2022 **CE S3 CI HI HRO SRC**

EU 39-47 / UK 6-12 / MP 247-317

PROTECTIVE MIDSOLE

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL

NUBUCK LEATHER

(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Nubuck Leder

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil



\ 1053.80 \



ELITE

EN ISO 17249:2013 **CLASS 2**

EN ISO 20345:2011 **CE S3 CI HI HRO SRC**



\ 1671.02 \

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado

+ Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt

Eingespritztes PU + Gummi

UPPER RAW MATERIAL

CRAZY HORSE VHQ LEATHER 20/22

(PT) Crazy Horse VHQ Leather 20/22 (ES) Crazy Horse VHQ

Leather 20/22 (FR) Crazy Horse VHQ Leather 20/22 (DE)

Crazy Horse VHQ Leather 20/22

LINING MATERIAL

SYMPATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Sympatex (ES) Membrana

Impermeable Sympatex (FR) Membrane Impermeable

Sympatex (DE) Sympatex Wasserdichte Membrane

SHERWOOD

EN ISO 17249:2013/AC:2024 **CLASS 3**

CE SRA HI CI WR HRO

EU 39-47 / UK 6-12 / MP 247-317

PROTECTIVE MIDSOLE

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado

+ Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt

Eingespritztes PU + Gummi

UPPER RAW MATERIAL

CRAZY HORSE VHQ LEATHER 20/22

(PT) Crazy Horse VHQ Leather 20/22 (ES) Crazy Horse VHQ

Leather 20/22 (FR) Crazy Horse VHQ Leather 20/22 (DE)

Crazy Horse VHQ Leather 20/22

LINING MATERIAL

SYMPATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Sympatex (ES) Membrana

Impermeable Sympatex (FR) Membrane Impermeable

Sympatex (DE) Sympatex Wasserdichte Membrane



\ 1053.60 \



ICELANDICC

EN ISO 20345:2022 CE S3 CI FO LG SR

EU 36-50 / UK 3-14 1/2 / MP 225-330



\ 1625.00 \

PROTECTIVE MIDSOLE

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU

(FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein

Fleur Grainé (DE) Glattleder

LINING MATERIAL

NATURAL LAMBSKIN

(PT) Pele Natural de Carneiro (ES) Piel de Cordero Natural

(FR) Peau de Mouton Naturelle (DE) Natürliches Lamm

Futterf



2 SIDE ZIPS

YKK



NATURAL LAMBSKIN



CLIMA CORK SYSTEM



WATER
REPELLENT UPPER



ANTI-SLIP
SOLE



RESISTANT
UP TO +30°C

THUNDER

EN ISO 20345:2022/A1:2024 **SB PS HI CI FO HRO SR**

Withstands 18 kV at 60 Hz for 1 min according to ASTM F2413-18



\ 1236.16 \

EU 35-48 / UK 2^{1/2}-13 / MP 217-315

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DIRECT INJECTION PU

(PT) PU Injeção Direta (ES) Inyección Direta PU

(FR) Injection Directe PU (DE) Direktinjektion PU

UPPER RAW MATERIAL

CRAZY HORSE VHQ LEATHER

(PT) Crazy Horse Pele VHQ (ES) Crazy Horse Cuero VHQ

(FR) Crazy Horse Cuir VHQ (DE) Crazy Horse VHQ Leather

LINING MATERIAL

DRYLEX PLUS

(PT) Drylex Plus (ES) Drylex Plus (FR) Drylex Plus (DE) Drylex Plus

PROTECTION
AGAINST
ELECTRICAL
HAZARDS



\ 1036.16 \

THUNDER BOOT

EN ISO 20345:2022/A1:2024 **SB PS HI CI FO HRO SR**

Withstands 18 kV at 60 Hz for 1 min according to ASTM F2413-18



NEW BARCELONA

EN ISO 20345:2022 CE S3L CI HI HRO SC SR

EU 39-48 / UK 6-13 / MP 257-325

PROTECTIVE MIDSOLE

-

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado

+ Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt

Eingespritztes PU + Gummi

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein

Fleur Grainé (DE) Glattleder

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile

Respirant (DE) Atmungsaktiv Textil



\ 1052.01 \



\ 1065.52 \

X6

EN ISO 20345:2022/A1:2022 CE S3 CI HI FO SR

EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU

(FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

NUBUCK LEATHER

(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck

(DE) Nubuck Leder

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile

Respirant (DE) Atmungsaktiv Textil



CLIMA CORK
SYSTEM



WATER
REPELLENT UPPER




ANTISTATIC



SHOCK
ABSORBER

FF/R/



FÉNIX 5.1 PRO

EN ISO 15090:2012 TIPO 2 H13 F2A

EN ISO 17249:2022 / AC 2014 CLASS 2

EN ISO 20345:2011 CE S3 WR CI HI AN M HRO SRC

EU 36-47 / UK 3-12 / MP 225-307



\ 2018.30 \

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre

(DE) Glassfaser

SOLE

FIREFOX - VIBRAM FIRE-REARANT RUBBER

(PT) Borracha Ignífuga - Vibram (ES) Caucho Ignífugo -

Vibram (FR) Nitril Ignífuge - Vibram (DE) Feuerhemmender

Gummi - Vibram

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein

Fleur Grainé (DE) Glattleder

LINING MATERIAL

SYMPATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Sympatex (ES) Membrana

Impermeable Sympatex (FR) Membrane Impermeable

Sympatex (DE) Sympatex Wasserdichte Membrane



ANKLE PROTECTION



METATARSAL PROTECTION



FÉNIX 5.1

EN ISO 15090:2012 **TIPO 2 HI3 F2A**

EN ISO 20345:2022 **CE S3 WR CI HI AN HRO SRC**

EU 36-47 / UK 3-12 / MP 225-307



ANKLE PROTECTION



EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibrã de Vidro (ES) Fibrã de Vidrio (FR) Fibre de Verre
(DE) Glassfaser

SOLE

FIREFOX - VIBRAM FIRE-RETTARDANT RUBBER

(PT) Borracha Ignífuga - Vibram (ES) Caucho Ignífugo -
Vibram (FR) Nitril Ignífuge - Vibram (DE) Feuerhemmender
Gummi - Vibram

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein
Fleur Grainé (DE) Glattleder

LINING MATERIAL

SYMPATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Sympatex (ES) Membrana
Impermeable Sympatex (FR) Membrane Impermeable
Sympatex (DE) Sympatex Wasserdichte Membrane





EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

FIBERGLASS

(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre
(DE) Glassfaser

SOLE

FIREFOX - VIBRAM FIRE-REARANT RUBBER

(PT) Borracha Ignífuga - Vibram (ES) Caucho Ignífugo -
Vibram (FR) Nitril Ignífuge - Vibram (DE) Feuerhemmender
Gummi - Vibram

UPPER RAW MATERIAL

FULL GRAIN LEATHER + TEXTILE

(PT) Pele de Flor Integral + Têxtil (ES) Cuero Full Grain + Textil
(FR) Cuir Plein Fleur Grainé + Textile (DE) Glattleder + Textil

LINING MATERIAL

SYMPATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Sympatex (ES) Membrana
Impermeable Sympatex (FR) Membrane Impermeable
Sympatex (DE) Sympatex Wasserdichte Membrane



\ 2076.50 \

PATROL 5.1

EN ISO 15090:2012 TIPO 2 H13 F2A

EN ISO 20345:2022 CE S3 HI CI AN HRO SRC



\ 1076.85 \

PATROL 2.1

EN ISO 20345:2011 CE 03 HRO SRC WRU



INTERNAL ZIPPER



EU 35-47 / UK 2 1/2-12 / MP 217-307

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

-

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado
+ Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt
Eingespritztes PU + Gummi

UPPER RAW MATERIAL

FULL GRAIN LEATHER + TEXTILE

(PT) Pele de Flor Integral + Têxtil (ES) Cuero Full Grain + Textil
(FR) Cuir Plein Fleur Grainé + Textile (DE) Glattleder + Textil

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile
Respirant (DE) Atmungsaktiv Textil



WATER
REPELLENT UPPER



RESISTANT
UP TO 300°C



ANTI-SLIP
SOLE



ANTISTATIC



SHOCK
ABSORBER

SPACE TROOPER

EN ISO 20347:2022 **CE 02 PS SR WR AN**



\ 1610.00 \

EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

-

SOLE

TPU + EVA PHYLON

(PT) TPU + Eva Phylon (ES) TPU + Eva Phylon (FR) TPU +
Eva Phylon (DE) TPU + Eva Phylon

UPPER RAW MATERIAL

HI-TECH TEXTILE

(PT) Têxtil Hi-Tech (ES) Textil Hi-Tech (FR) Textile Hi-Tech (DE)
High-Tech Textil


LINING MATERIAL

SYMPATEX WATERPROOF MEMBRANE

(PT) Membrana Impermeável Sympatex (ES) Membrana
Impermeable Sympatex (FR) Membrane Impermeable
Sympatex (DE) Sympatex Wasserdichte Membrane

S.A.S. BLACK BOOT

EN ISO 20347:20202 **CE 07 S HRO SR**



LACC - SHOE LACES STORAGE
SYSTEM



SOLE

DIRECT INJECTED PU + VIBRAM

(PT) PU Diretamente Injetado + Vibram (ES) PU Inyectado
+ Vibram (FR) PU Injecté Directement + Vibram (DE) Direkt
Eingespritztes PU + Vibram



\ 1675.10 \



WOMAN

68

LYNX CLAY

EN ISO 20345:2022 **CE S3L CI HI FO SR**



EU 35-42 / UK 2½-8 / MP 217-370

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

COMPOSITE

(PT) Composite (ES) Composite (FR) Composite (DE)

Kunststoffkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU

(FR) Doble Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile

Respirant (DE) Atmungsaktiv Textil

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile

Respirant (DE) Atmungsaktiv Textil

LYNX TERRACOTA

EN ISO 20345:2022 **CE S3L CI HI FO SR**



BIANCA

EN ISO 20345:2011 **CE S3S CI FO SR**

EU 36-42 / UK 3-8 / MP 225-270

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU

(PT) PU Diretamente Injetado (ES) PU Inyectado Directo

(FR) PU Injecté Directement (DE) Direkt Einspritztes PU

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein

Fleur Grainé (DE) Glattleder

LINING MATERIAL

ANILINE LEATHER

(PT) Pele Anilina (ES) Cuero Anilina (FR) Cuir Aniline

(DE) Aniline Leder



\ 1118.10 \



\ 1153.10 \

EVA

EN ISO 20345:2011 **CE S2P SRC**



LUCY

EN ISO 20345:2011 **CE S3S CI FO SR**



\ 1021.10 \

EU 36-42 / UK 3-8 / MP 225-270

PROTECTIVE MIDSOLE

KEVLAR

(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU

(PT) PU Diretamente Injetado (ES) PU Inyectado Directo

(FR) PU Injecté Directement (DE) Direkt Eingespritztes PU

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein

Fleur Grainé (DE) Glattleder

LINING MATERIAL

ANILINE LEATHER

(PT) Pele Anilina (ES) Cuero Anilina (FR) Cuir Aniline

(DE) Aniline Leder



\ 1016.10 \

CYNDI

EN ISO 20345:2011 **CE S3S CI FO SR**



\ 1036.30 \

SANDY

EN ISO 20345:2011 **CE S2P SRC**



A woman with red hair in a long braid is posing on a white rectangular pedestal. She is wearing a black blazer over a long black skirt, a vibrant rainbow-colored t-shirt, and a long red and white braided scarf. Her right leg is raised and bent, while her left leg is extended forward. She is wearing dark sneakers with white soles; the word "LAVORO" is visible on the side of the right shoe. The background is dark and textured, resembling crumpled plastic or a similar material. The overall mood is dramatic and artistic.

INFO

72

ACCESSORIES

SPODOS 3V

SIZE 36-47



FLAT FEET



\ 9999.95 \



NORMAL FEET



\ 9999.96 \



ARCH FEET



\ 9999.97 \

FEATURES

HEALTH OF YOUR FEET

Anti-Microbial
Active Carbon
Thermoregulatory Effect
Steam Permeable
100% Breathable
Washable

THINKING ABOUT COMFORT

Anti-Fatigue
Extra Light
High Absorption Capacity
High Memory Capacity
Different Densities

ECOFRIENDLY

Made from Recycled Materials

ECOFRIENDLY

Made from Recycled Materials

SIZE 36-47

SIZE 35-38 / 39-42 / 43-47

PRO SOCKS

\ 9999.79 \



SIZE 39-42 / 43-47

ECO SOCKS

\ 9999.73 \



\ 9999.12 \

CHROMIUM FREE LEATHER

Cork and Natural Leather
Breathable
Thermoregulatory Effect



\ 9999.13 \

LAVORO X-MAX

Selected premium materials and accurate design to keep your feet feeling cool, dry and fresher for longer.

CADA PASSO NO TRABALHO TEM CIÊNCIA

Este livro coloca a saúde do pé no centro da reflexão sobre ergonomia, desempenho e prevenção de lesões no trabalho. Dirigido a profissionais de saúde, técnicos de segurança no trabalho, engenheiros, designers de calçado, gestores e decisores empresariais, esta obra é um guia científico e um manifesto cultural: proteger os pés dos trabalhadores é proteger todo o corpo, a dignidade do trabalho e a sustentabilidade das organizações.

/ EN /

EACH STEP AT WORK HAS SCIENCE BEHIND IT

This book places foot health at the center of reflection on ergonomics, performance, and injury prevention in the workplace. Aimed at health professionals, occupational safety technicians, engineers, footwear designers, managers, and business decision-makers, this work is both a scientific guide and a cultural manifesto: protecting workers' feet means protecting the entire body, the dignity of work, and the sustainability of organizations.



Available in Portuguese | lavoro.pt | spodos.pt

| Coming soon in English



FEET HEALTH AT WORK

(PT)

Cuidamos da saúde dos pés em contexto de trabalho

Em estreita parceria com as empresas, otimizamos a prevenção, ajudamos a minimizar o absentismo, e a reduzir os casos de dispensa de utilização de equipamentos de proteção individual.

Para o melhor aconselhamento de calçado profissional, consulte o SPODOS, que auxilia as empresas a cuidar da qualidade de vida do pé em contexto laboral:

1.

Caracteriza o ambiente de trabalho;

2.

Aconselha, depois de identificar necessidades;

3.

Realiza análises podológicas e biomédicas aos colaboradores, em estreita parceria com os especialistas em Medicina do Trabalho, Ortopedia e/ou com Técnicos de Higiene, Saúde e Segurança no Trabalho;

4.

Diagnostica patologias nos pés dos colaboradores e recomenda terapias;

5.

Supervisiona a eficiência das propostas realizadas;

6.

Projeta soluções personalizadas para pés deformados.

7.

Realiza formações sobre a saúde do pé em contexto laboral.

(EN)

We take care of foot health in the workplace

In close partnership with companies, we optimize prevention, help minimize absenteeism, and reduce cases of exemption from the use of personal protective equipment. We care for foot health in the workplace like no one else.

For the best professional footwear advice, consult SPODOS, which supports companies in promoting foot health and quality of life in the workplace:

1.

Assesses the work environment;

2.

Provides guidance after identifying specific needs;

3.

Carries out podiatric and biomedical assessments of employees, in close collaboration with specialists in Occupational Medicine, Orthopedics, and/or Occupational Health and Safety Technicians;

4.

Diagnoses foot pathologies in employees and recommends therapies.

5.

Monitors the effectiveness of the recommended solutions;

6.

Designs customized solutions for deformed feet;

7.

Delivers training on foot health in the workplace.




O COMPRIMENTO DO SAPATO (EM MM) DEVE SER SEMPRE 10MM MAIOR DO QUE O COMPRIMENTO DO PÉ.

THE SHOE LENGTH (IN) SHOULD ALWAYS BE 10MM LONGER THAN THE FOOT LENGTH.

Por exemplo, se o pé medir 270mm, o sapato deverá 280mm.

For example, if the foot measures 270mm, the shoe should measure 280mm.



No entanto, se o pé medir 272mm (P.E.), o sapato deverá medir 287mm.

Um sapato de 280mm não proporcionaria os 10mm de espaço extra recomendados e o utilizador não tiraria total proveito do conforto e da experiência de usar um sapato Lavoro.

However, if the foot measures 272mm (P.E.), the shoe should measure 287mm.

A 280mm shoe would not provide the recommended 10 mm extra space, and the use wouldn't fully benefit from the comfort and experience of wearing a Lavoro shoe.




TABELA DE TAMANHOS

Size chart

FOOT LENGTH (MM)	195 202	203 210	211 217	218 225	226 232	233 240	241 247	248 255	256 262	263 270	271 277	278 285	286 292	293 300	301 307	308 315	316 322	323 330	331 337	338 345	346 352
MONDOPOINT R2 (MM)	212	220	227	235	242	250	257	265	272	280	287	295	302	310	317	325	332	340	347	355	362
EU	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53
UK	1 1/2	2	2 1/2	3	4	5	6	6 1/2	7	8	9	10	10 1/2	11	12	13	14	14 1/2	15	16	17



Descobre mais no livro: **“O PÉ EM CONTEXTO DE TRABALHO, A bioengenharia do calçado profissional”.**

Find out more in the book: **“THE FOOT IN THE WORK CONTEXT: The Bioengineering of Professional Footwear”.**

PPE STANDARDS

SAFETY FOOTWEAR STANDARDS

EN ISO 20345:2011

SB (safety basic) - 200J (joule) Toecap protection.

S1 - Same as SB + Closed heel, antistatic protection and energy absorption in the heel.

S2 - Same as S1 + Waterproof exterior to prevent water penetration.

S3 - Same as S2 + Midsole penetration resistance to prevent sharp objects from penetrating the footwear and damaging your foot.

EN ISO 20345:2022

S6 - New rating introduced by the new norm (20345:2022).

Same as S2 + Water resistance for the whole piece of footwear.

S7 - New rating introduced by the new norm (20345:2022).

Same as S3 + Water resistance for the whole piece of footwear.

SLIP - RESISTANCE RATINGS

EN ISO 20345:2011

SRA - Tested on ceramic tile wetted with dilute soap solution.

SRB - Tested on smooth steel with glycerol.

SRC - Tested under both the above conditions.

EN ISO 20345:2022

SR - Slip resistance - on ceramic tile floor with glycerin.

Ø - Has not been tested according to this standards as it offers studs or spikes, or is for use within special workplaces and is therefore not applicable.

ADDITIONAL REQUIREMENTS

A - Antistatic - Protects against static electrical charges.

AN - Ankle protection.

C - Partially conductive footwear.

CI - Cold Insulation.

CR - Cut-Resistant upper.

E - Energy absorption of heel region.

FO - Resistance to fuel oil.

HI - Hot Insulation.

HRO - Resistance to hot contact at 300°.

PL - Penetration resistance (non-metal) - Penetration.

LG - Ladder grip outsole.

M - Metatarsal protection (impacts up to 100J).

P - Perforation resistance (metal). Tested with large nail (Ø 4,5mm).

PS - Penetration resistance (non-metal). Penetration tested with small nail (Ø 3,0mm).

SC - Scuff cap abrasion.

WPA - Water penetration and absorption.

WR - Water-resistance with waterproof membrane.



TECH NOLO GIES

78



MSI
multi section injection

Multi-Section Injection (MSI) is a direct injection process that creates one fully bonded midsole with different softness zones. It can combine up to three softness levels to improve stability, support the arch, and increase comfort and flexibility.



SCF
super critical foam

Supernova SCF (Super Critical Foaming) is a revolutionary foam, 100% recyclable, with uniform microcellular structure that has a superior mechanical performance, lightness, and energy return, it doesn't contract or deform.



RSA
responsive shock absorption

Designed to deliver enhanced cushioning and a more responsive feel underfoot, the perforated outsole optimizes shock absorption with every step. By improving pressure dispersion and weight distribution, it helps reduce impact and fatigue, ensuring a smoother, more comfortable stride throughout the day.



CLEATED SOLE

Engineered to enhance flexibility and promote a more natural foot roll, this cleated outsole significantly improves weight distribution across the stride. The result is smoother, more fluid movement with greater stability and comfort, even during long periods of walking or standing.



ANTI-SLIP SOLE

Sole designed to improve grip and stability on different surfaces, helping reduce the risk of slips.



SHOCK ABSORBER

Helps absorb impact during walking, reducing stress on the feet and improving all-day comfort.



ENERGY RETURN TECHNOLOGY

Responsive sole technology that gives back part of the energy from each step, improving comfort, reducing fatigue and increasing performance.



QUICK RELEASE SYSTEM

A quick release system with a rotary dial and durable cables replacing laces, enabling precise and instant adjustment. In safety footwear, it ensures secure fit, even pressure distribution, faster donning and doffing, and reduced trip risk.



SLIP IN

SLIP IN is a built-in heel guide that makes stepping in faster and easier without crushing the heel. It helps the foot slide smoothly into place, improves entry comfort, and provides a more secure heel hold for better stability.



FLEXIBLE

Designed to follow natural foot movement, offering greater freedom, comfort and ease of walking.




NATURAL LAMBSKIN

Natural Lambskin. Soft, natural shearling lining that traps warm air for outstanding insulation in cold conditions. Breathable and cushioning, it reduces cold spots and keeps feet warmer, drier and comfortable. Ideal for long hours outdoors and demanding winter work, delivering cozy comfort without stiffness.



FULL LEATHER

FULL LEATHER (VHQ – Very High Quality) identifies footwear made with both the upper and lining in leather. The VHQ seal signals very high leather quality for superior durability and long-lasting comfort. Naturally breathable, leather adapts to the foot over time for a softer, more supportive fit in demanding environments.



GUAPA

Developed with advanced protective technology, this upper boosts safety-footwear performance. Its reinforced structure delivers outstanding abrasion resistance while staying lightweight and breathable, for lasting protection without extra weight. Built for intense friction and heavy use, it exceeds 8,000 abrasion cycles for dependable durability in tough environments.



DYNEEMA

Dyneema. Ultra-lightweight, metal-free anti-perforation layer rated up to 1100 N and resistant to small nails (3 mm). Highly flexible for more natural movement than traditional inserts, delivering strong protection with minimal weight.



SPODOS INSOLE

Anti microbial. Active carbon in its constitution. Thermal regulation effect. Permeable to vapor. 100% breathable. Washable. Anti fatigue. Extra light. High capacity of shock absorption. High capacity of memory. Different areas of density. Made with recycled materials. High abrasion resistance. Antistatic.



CCS clima cork system

The Clima Cork System (CCS) is a comfort technology that adds a natural cork insulating layer between the outsole and insole to help regulate in-shoe temperature (warmer in cold, cooler in heat). Over time, cork molds to the foot for a more personalized fit and support, while reducing fatigue by distributing pressure more evenly. It's also a durable, sustainable solution.



ESD electro static dissipative

Electrostatic discharge protection that helps safely dissipate static electricity, reducing the risk of electrostatic build-up in sensitive work environments.



DIELECTRIC

Electrical Hazard (EH) Protection is a footwear safety feature designed to reduce the risk of electric shock by limiting electrical current flow to the ground, mainly under dry conditions. It provides supplementary protection against hazardous "step potential" and accidental contact with energized circuits, helping increase safety in electrically exposed workplaces.



METAL FREE

Footwear made without metallic components, ideal for lighter comfort and metal-detector friendly environments.



EASY FIT SYSTEM

Designed for easier foot entry and a more comfortable fit, making footwear quicker to put on and wear.



ANKLE PROTECTIONS

Extra protection around the ankle area, helping reduce impact and improve support in demanding work environments.



METATARSAL PROTECTION

Additional protection over the metatarsal area, helping shield the upper foot against impact.



WATER REPELENT UPPER

Upper material treated to repel water and help keep feet drier in wet or humid conditions.



FUEL/OIL RESISTANT SOLE

Sole resistant to contact with oils and fuels, helping maintain durability and performance in industrial environments.



LIGHTWEIGHT

Designed with lighter materials to reduce fatigue and improve comfort during long working days.



VIBRAM

High-performance outsole developed for excellent grip, durability and resistance in demanding conditions.



WATERPROOF MEMBRANE

Protective membrane that blocks water from entering while helping maintain breathability and comfort.



YKK

High-quality zipper system known for durability, smooth use and reliable performance.



BRETHABLE

High-quality zipper system known for durability, smooth use and reliable performance.



RESISTANT UP TO 500° C

Outsole resistant to brief contact with very high temperatures, suitable for extreme heat environments.



RESISTANT UP TO 300° C

Heat-resistant outsole designed to withstand contact with hot surfaces up to 300°C.



FIREFIGHTERS

Footwear designed for firefighting and emergency environments, combining protection, durability and comfort according to EN ISO 15090 requirements.



CHAINSAW PROTECTION

Protective construction designed to reduce injury risk during chainsaw work, according to specific safety requirements.



BRUSHCUTTER PROTECTION

Reinforced protection for forestry and brushcutter work, helping shield the foot from impact and debris.



RESISTANT UP TO -30°C

Designed to help maintain comfort and performance in very cold environments down to -30°C.



VEGAN FRIENDLY

Made without animal-derived materials, offering a responsible alternative with reliable performance.



RECYCLABLE

Material or component designed with recyclability in mind, supporting more responsible product solutions.



INTERNAL ZIPPER

Inner side zipper that makes footwear easier to put on and take off, while maintaining a clean exterior look.



OEKO-TEX

Vegan-friendly / OEKO-TEX® means the material contains no animal-derived components, offering an ethical, consistent alternative to leather with easier care and reliable performance. OEKO-TEX® certification confirms the textile has been tested for harmful substances, supporting safer skin contact and greater confidence in everyday wear.



LAVORO®

ENGINEERING LIFE

AUTHORISED DISTRIBUTOR

LAVORO EUROPE
SOL - PINHEIRO
4810-718
GUIMARÃES - PORTUGAL


T. +351 253 776 666
F. +351 253 140 905

INFO@LAVOROEUROPE.COM

f i in
@lavoroeurope



ICC-Ind. e Comércio de Calçado S.A.
N.º de Registo 62230/01/414.495.00
N.º de Inscrição 62230/01/414.495.00
Inscrita na C.R.C. Guimarães
sob o nº 2453



Cofinanciado pela
União Europeia



In the interest of product development Lavoro reserves the right to change or amend the specifications of the products, without previous notice.

v3 - JUN - 2026

lavoroeurope.com